

Betadine



Betadine cream is used for treating minor wounds and infections, as well as killing bacteria. **Betadine** cream is an antiseptic combination. It works by killing sensitive bacteria.

Active ingredient: [Providone-iodine](#)

Brand(s):Wokadine

Manufacturer: Wockhardt Ltd.

Disease(s):Wound / Infection

Betadine 10% 15g

	Per pill	Per Pack	Order
1 tube	\$ 24.95	\$ 24.95	Add to cart
2 tube	\$ 19.98	\$ 39.95 ~~\$49.90~~	Add to cart
3 tube	\$ 17.65	\$ 52.95 ~~\$74.85~~	Add to cart
4 tube	\$ 14.99	\$ 59.95 ~~\$99.80~~	Add to cart
5 tube	\$ 13.99	\$ 69.95 ~~\$124.75~~	Add to cart

Povidone-Iodine topical

What is this medicine?

Povidone-iodine cream is used for treating minor wounds and infections, as well as killing bacteria. Povidone-iodine cream is an antiseptic combination. It works by killing sensitive bacteria.

What should I tell my health care providers before I take this medicine?

Some medical conditions may interact with Povidone-iodine cream. Tell your doctor or pharmacist if you have any medical conditions, especially if any of the following apply to you:

- if you are pregnant, planning to become pregnant, or are breast-feeding
- if you are taking any prescription or nonprescription medicine, herbal preparation, or dietary supplement
- if you have allergies to medicines, foods, or other substances
- if you have serious burns or deep puncture wounds

Some MEDICINES MAY INTERACT with Povidone-iodine cream. However, no specific interactions are known at this time.

This may not be a complete list of all interactions that may occur. Ask your health care provider if Povidone-iodine cream may interact with other medicines that you take. Check with your health care provider before you start, stop, or change the dose of any medicine.

How should I use this medicine?

Use Povidone-iodine cream as directed by your doctor. Check the label on the medicine for exact dosing instructions.

- Clean the affected area. Apply a small amount of Povidone-iodine cream to the affected area. The area may be left uncovered, or you may cover it with a sterile bandage.
- If you miss a dose of Povidone-iodine cream, use it as soon as possible. If it is almost time for your next dose, skip the missed

